
ASSEMBLY BILL NO. 574—ASSEMBLYMEN HUMKE, DE BRAGA, OHRENSCHALL,
HETTRICK, LEE AND SEGERBLOM

MARCH 15, 1999

Referred to Committee on Natural Resources, Agriculture and Mining

SUMMARY—Revises provisions regarding method of analysis of water performed as condition precedent to sale of real property. (BDR 40-1409)

FISCAL NOTE: Effect on Local Government: No.
Effect on the State or on Industrial Insurance: No.

~

EXPLANATION – Matter in ***bolded italics*** is new; matter between brackets ~~omitted material~~ is material to be omitted.

AN ACT relating to water controls; requiring that an analysis of water performed as a condition precedent to the transfer of real property be performed by a certified laboratory; and providing other matters properly relating thereto.

THE PEOPLE OF THE STATE OF NEVADA, REPRESENTED IN SENATE
AND ASSEMBLY, DO ENACT AS FOLLOWS:

- 1 **Section 1.** NRS 445A.863 is hereby amended to read as follows:
2 445A.863 1. The state board of health shall provide by regulation
3 standards for the certification of laboratories for the analysis of water
4 pursuant to NRS 445A.800 to 445A.955, inclusive. An analysis required
5 pursuant to any provision of NRS 445A.800 to 445A.955, inclusive, ***or***
6 ***required by a lender as a condition precedent to the transfer of real***
7 ***property*** must be performed by a certified laboratory.
8 2. The certifying officer shall conduct an evaluation at the site of each
9 laboratory to determine whether the laboratory is using the methods of
10 analysis required by this section in an acceptable manner, applying
11 procedures required by regulation for the control of quality and making
12 results available in a timely manner.
13 3. For analyses required pursuant to NRS 445A.800 to 445A.955,
14 inclusive, or by a lender as a condition precedent to the transfer of real
15 property, the methods used must comply with the Safe Drinking Water
16 Act, 42 U.S.C. §§ 300f et seq.

- 1 4. A laboratory may be certified to perform analyses for the presence
- 2 of one or more specified contaminants, or to perform all analyses required
- 3 pursuant to NRS 445A.800 to 445A.955, inclusive.

~